

StayCay Aper-itif spritz

Sample ID: 2601NBL0030.0093
Matrix: Ingestible
Type: Beverage
Sample Size:

Received: 01/07/2026
Completed: 01/14/2026
Expires: 01/14/2027
External Lot ID: T-251
Batch#: T-251

Client
Scofflaw Brewing Company
Lic. #
1738 MacArthur Blvd NW Atlanta, GA 30318
(843) 602-1641 jp@scofflawbeer.com



Summary

Test	Date Tested	Result
Cannabinoids	01/07/2026	Complete
Residual Solvents	01/14/2026	Complete
Microbials	01/08/2026	Complete
Mycotoxins	01/10/2026	Complete
Pesticides	01/10/2026	Complete
Heavy Metals	01/14/2026	Complete
Foreign Matter	01/07/2026	Not Detected

Cannabinoids

Complete

9.753 mg/unit Total THC	0.0027% Δ9-THC	ND Total CBD	9.753 mg/unit Total Cannabinoids
-----------------------------------	--------------------------	------------------------	--

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9124	1.369	ND	ND	ND
9R-HHC	0.9124	1.369	ND	ND	ND
(6aR,9S)-d10-THC	0.9124	1.369	ND	ND	ND
9S-HHC	0.9124	1.369	ND	ND	ND
CBC	0.9124	1.369	ND	ND	ND
CBCa	0.9124	1.369	ND	ND	ND
CBD	0.9124	1.369	ND	ND	ND
CBDa	0.9124	1.369	ND	ND	ND
CBDV	0.9124	1.369	ND	ND	ND
CBDVa	0.9124	1.369	ND	ND	ND
CBG	0.9124	1.369	ND	ND	ND
CBGa	0.9124	1.369	ND	ND	ND
CBN	0.9124	1.369	ND	ND	ND
CBNa	0.9124	1.369	ND	ND	ND
Δ8-THC	0.9124	1.369	ND	ND	ND
Δ9-THC	0.9124	1.369	9.753	0.02755	0.003
THCa	0.9124	1.369	ND	ND	ND
THCp	0.9124	1.369	ND	ND	ND
THCV	0.9124	1.369	ND	ND	ND
THCVa	0.9124	1.369	ND	ND	ND
Total THC			9.753	0.02755	0.003
Total CBD			ND	ND	ND
Total			9.753	0.02755	0.003

Date Tested: 01/07/2026
Density: 1 mL = 1.031 g, Unit Mass: 364.974 g, 1 Unit = 12 fl oz
Testing Method: HPLC, CON-P-3000
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection, ND = Not Detected
Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%



Ashley N Phillips

Ashley Phillips
Laboratory Director
01/14/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





StayCay Aper-itif spritz

Sample ID: 2601NBL0030.0093

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 01/07/2026

Completed: 01/14/2026

Expires: 01/14/2027

External Lot ID: T-251

Batch#: T-251

Client

Scofflaw Brewing Company

Lic. #

1738 MacArthur Blvd NW Atlanta, GA 30318

(843) 602-1641 jp@scofflawbeer.com

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.093	0.027		ND	Tested	Hexythiazox	0.090	0.027		ND	Tested
Acephate	0.090	0.027		ND	Tested	Imazalil	0.090	0.027		ND	Tested
Acequinocyl	0.090	0.027		ND	Tested	Imidacloprid	0.090	0.027		ND	Tested
Acetamiprid	0.090	0.027		ND	Tested	Kresoxim Methyl	0.090	0.027		ND	Tested
Aldicarb	0.090	0.027		ND	Tested	Malathion	0.090	0.027		ND	Tested
Azoxystrobin	0.090	0.027		ND	Tested	Metalaxyl	0.090	0.027		ND	Tested
Bifenazate	0.090	0.027		ND	Tested	Methiocarb	0.090	0.027		ND	Tested
Bifenthrin	0.090	0.027		ND	Tested	Methomyl	0.090	0.027		ND	Tested
Boscalid	0.090	0.027		ND	Tested	Mevinphos	0.090	0.027		ND	Tested
Captan	0.627	0.188		ND	Tested	Myclobutanil	0.090	0.027		ND	Tested
Carbaryl	0.090	0.027		ND	Tested	Naled	0.224	0.068		ND	Tested
Carbofuran	0.090	0.027		ND	Tested	Oxamyl	0.090	0.027		ND	Tested
Chlorantraniliprole	0.090	0.027		ND	Tested	Pacllobutrazol	0.090	0.027		ND	Tested
Chlorfenapyr	0.072	0.027		ND	Tested	Methyl Parathion	0.072	0.027		ND	Tested
Chlormequat	0.090	0.027		ND	Tested	Pentachloronitrobenzene	0.072	0.027		ND	Tested
Chlorpyrifos	0.090	0.027		ND	Tested	Permethrins	0.090	0.027		ND	Tested
Clofentezine	0.090	0.027		ND	Tested	Phosmet	0.090	0.027		ND	Tested
Coumaphos	0.090	0.027		ND	Tested	Piperonyl Butoxide	0.090	0.027		ND	Tested
Cyfluthrin	0.448	0.134		ND	Tested	Prallethrin	0.090	0.027		ND	Tested
Cypermethrin	0.448	0.134		ND	Tested	Propiconazole	0.090	0.027		ND	Tested
Daminozide	0.896	0.269		ND	Tested	Propoxur	0.090	0.027		ND	Tested
Diazinon	0.090	0.027		ND	Tested	Pyrethrins	0.448	0.134		ND	Tested
Dichlorvos	0.045	0.014		ND	Tested	Pyridaben	0.090	0.027		ND	Tested
Dimethoate	0.090	0.027		ND	Tested	Spinetoram	0.090	0.027		ND	Tested
Ethoprophos	0.090	0.027		ND	Tested	Spinosad	0.091	0.027		ND	Tested
Etofenprox	0.090	0.027		ND	Tested	Spiromesifen	0.090	0.027		ND	Tested
Etoxazole	0.090	0.027		ND	Tested	Spirotetramat	0.090	0.027		ND	Tested
Fenhexamid	0.090	0.027		ND	Tested	Spiroxamine	0.090	0.027		ND	Tested
Fenoxycarb	0.090	0.027		ND	Tested	Tebuconazole	0.090	0.027		ND	Tested
Fenpyroximate	0.090	0.027		ND	Tested	Thiacloprid	0.090	0.027		ND	Tested
Fipronil	0.090	0.027		ND	Tested	Thiamethoxam	0.090	0.027		ND	Tested
Flonicamid	0.090	0.027		ND	Tested	Trifloxystrobin	0.090	0.027		ND	Tested
Fludioxonil	0.090	0.027		ND	Tested						

Date Tested: 01/10/2026
Testing Method: LC/MS/MS CON-P-5000; GC/MS/MS CON-P-12000



Ashley N Phillips

Ashley Phillips
Laboratory Director
01/14/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





StayCay Aper-itif spritz

Sample ID: 2601NBL0030.0093

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 01/07/2026

Completed: 01/14/2026

Expires: 01/14/2027

External Lot ID: T-251

Batch#: T-251

Client

Scofflaw Brewing Company

Lic. #

1738 MacArthur Blvd NW Atlanta, GA 30318

(843) 602-1641 jp@scofflawbeer.com

Microbials

Complete

Analyte	LOD	Result	Status
	Cq	Cq	
Shiga Toxin-producing E. Coli	31.620	ND	Tested
Salmonella	31.730	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	29.780	ND	Tested

Method of Analysis: qPCR, CON-P-6000

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	10	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	9	ND	Tested
E. Coli	10	ND	Tested

Method of Analysis: Petrifilm, CON-P-9000

Date Tested: 01/08/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1	4		ND	Tested
B2	1	4		ND	Tested
G1	1	4		ND	Tested
G2	1	4		ND	Tested
Total Aflatoxins	1	4		ND	Tested
Ochratoxin A	5	18		ND	Tested

Date Tested: 01/10/2026

Testing Method: LC/MS/MS, CON-P-5000

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.050	0.099		ND	Tested
Cadmium	0.050	0.099		ND	Tested
Lead	0.050	0.099		ND	Tested
Mercury	0.050	0.099		ND	Tested
Palladium	0.050	0.248		ND	Tested
Selenium	0.050	0.099		ND	Tested

Date Tested: 01/14/2026

Testing Method: ICP/MS, CON-P-7000



Ashley Phillips

Ashley Phillips
Laboratory Director
01/14/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





StayCay Aper-itif spritz

Sample ID: 2601NBL0030.0093

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 01/07/2026

Completed: 01/14/2026

Expires: 01/14/2027

External Lot ID: T-251

Batch#: T-251

Client

Scofflaw Brewing Company

Lic. #

1738 MacArthur Blvd NW Atlanta, GA 30318

(843) 602-1641 jp@scofflawbeer.com

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	72.115	240.385		ND	Tested
Benzene	0.288	0.962		ND	Tested
n-Butane	66.346	221.154		ND	Tested
Isobutane	66.346	221.154		ND	Tested
Ethanol	72.115	240.385		392.815	Tested
Ethyl Acetate	72.115	240.385		ND	Tested
Heptane	72.115	240.385		ND	Tested
n-Hexane	1.442	4.808		ND	Tested
2,2-Dimethylbutane	1.442	4.808		ND	Tested
3-Methylpentane	1.442	4.808		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.885	9.615		ND	Tested
Methanol	28.846	96.154		ND	Tested
Isopentane	66.346	221.154		ND	Tested
n-Pentane	28.846	96.154		ND	Tested
Neopentane	66.346	221.154		ND	Tested
2-Propanol	72.115	240.385		ND	Tested
Propane	288.462	961.538		ND	Tested
Toluene	0.144	0.481		ND	Tested
Ethylbenzene	0.144	0.481		ND	Tested
m/p-Xylene	0.144	0.481		ND	Tested
o-Xylene	0.144	0.481		ND	Tested

Date Tested: 01/14/2026
Testing Method: HS-GC/MS, CON-P-8000



Ashley Phillips

Ashley Phillips
Laboratory Director
01/14/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

