

# StayCay Paloma

Sample ID: 2601NBL0030.0090  
Matrix: Ingestible  
Type: Beverage  
Sample Size:

Received: 01/07/2026  
Completed: 01/14/2026  
Expires: 01/14/2027  
External Lot ID: T-253  
Batch#: T-253

Client  
**Scofflaw Brewing Company**  
Lic. #  
1738 MacArthur Blvd NW Atlanta, GA 30318  
(843) 602-1641 jp@scofflawbeer.com



## Summary

Test	Date Tested	Result
Cannabinoids	01/07/2026	Complete
Residual Solvents	01/14/2026	Complete
Microbials	01/08/2026	Complete
Mycotoxins	01/10/2026	Complete
Pesticides	01/10/2026	Complete
Heavy Metals	01/14/2026	Complete
Foreign Matter	01/07/2026	Not Detected

## Cannabinoids

Complete

<b>9.948 mg/unit</b> Total THC	<b>0.0027%</b> Δ9-THC	<b>ND</b> Total CBD	<b>9.948 mg/unit</b> Total Cannabinoids
-----------------------------------	--------------------------	------------------------	--

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9222	1.383	ND	ND	ND
9R-HHC	0.9222	1.383	ND	ND	ND
(6aR,9S)-d10-THC	0.9222	1.383	ND	ND	ND
9S-HHC	0.9222	1.383	ND	ND	ND
CBC	0.9222	1.383	ND	ND	ND
CBCa	0.9222	1.383	ND	ND	ND
CBD	0.9222	1.383	ND	ND	ND
CBDa	0.9222	1.383	ND	ND	ND
CBDV	0.9222	1.383	ND	ND	ND
CBDVa	0.9222	1.383	ND	ND	ND
CBG	0.9222	1.383	ND	ND	ND
CBGa	0.9222	1.383	ND	ND	ND
CBN	0.9222	1.383	ND	ND	ND
CBNa	0.9222	1.383	ND	ND	ND
Δ8-THC	0.9222	1.383	ND	ND	ND
Δ9-THC	0.9222	1.383	9.948	0.02810	0.003
THCa	0.9222	1.383	ND	ND	ND
THCp	0.9222	1.383	ND	ND	ND
THCV	0.9222	1.383	ND	ND	ND
THCVa	0.9222	1.383	ND	ND	ND
<b>Total THC</b>			<b>9.948</b>	<b>0.02810</b>	<b>0.003</b>
<b>Total CBD</b>			<b>ND</b>	<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>9.948</b>	<b>0.02810</b>	<b>0.003</b>

Date Tested: 01/07/2026  
Density: 1 mL = 1.042 g, Unit Mass: 368.868 g, 1 Unit = 12 fl oz  
Testing Method: HPLC, CON-P-3000  
Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection, ND = Not Detected  
Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%



*Ashley N Phillips*

Ashley Phillips  
Laboratory Director  
01/14/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





# StayCay Paloma

Sample ID: 2601NBL0030.0090  
Matrix: Ingestible  
Type: Beverage  
Sample Size:

Received: 01/07/2026  
Completed: 01/14/2026  
Expires: 01/14/2027  
External Lot ID: T-253  
Batch#: T-253

Client  
**Scofflaw Brewing Company**  
Lic. #  
1738 MacArthur Blvd NW Atlanta, GA 30318  
(843) 602-1641 jp@scofflawbeer.com

## Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.094	0.027		ND	Tested	Hexythiazox	0.090	0.027		ND	Tested
Acephate	0.090	0.027		ND	Tested	Imazalil	0.090	0.027		ND	Tested
Acequinocyl	0.090	0.027		ND	Tested	Imidacloprid	0.090	0.027		ND	Tested
Acetamiprid	0.090	0.027		ND	Tested	Kresoxim Methyl	0.090	0.027		ND	Tested
Aldicarb	0.090	0.027		ND	Tested	Malathion	0.090	0.027		ND	Tested
Azoxystrobin	0.090	0.027		ND	Tested	Metalaxyl	0.090	0.027		ND	Tested
Bifenazate	0.090	0.027		ND	Tested	Methiocarb	0.090	0.027		ND	Tested
Bifenthrin	0.090	0.027		ND	Tested	Methomyl	0.090	0.027		ND	Tested
Boscalid	0.090	0.027		ND	Tested	Mevinphos	0.090	0.027		ND	Tested
Captan	0.632	0.190		ND	Tested	Myclobutanil	0.090	0.027		ND	Tested
Carbaryl	0.090	0.027		ND	Tested	Naled	0.226	0.069		ND	Tested
Carbofuran	0.090	0.027		ND	Tested	Oxamyl	0.090	0.027		ND	Tested
Chlorantraniliprole	0.090	0.027		ND	Tested	Paclbutrazol	0.090	0.027		ND	Tested
Chlorfenapyr	0.072	0.027		ND	Tested	Methyl Parathion	0.072	0.027		ND	Tested
Chlormequat	0.090	0.027		ND	Tested	Pentachloronitrobenzene	0.072	0.027		ND	Tested
Chlorpyrifos	0.090	0.027		ND	Tested	Permethrins	0.090	0.027		ND	Tested
Clofentezine	0.090	0.027		ND	Tested	Phosmet	0.090	0.027		ND	Tested
Coumaphos	0.090	0.027		ND	Tested	Piperonyl Butoxide	0.090	0.027		ND	Tested
Cyfluthrin	0.451	0.135		ND	Tested	Prallethrin	0.090	0.027		ND	Tested
Cypermethrin	0.451	0.135		ND	Tested	Propiconazole	0.090	0.027		ND	Tested
Daminozide	0.903	0.271		ND	Tested	Propoxur	0.090	0.027		ND	Tested
Diazinon	0.090	0.027		ND	Tested	Pyrethrins	0.451	0.135		ND	Tested
Dichlorvos	0.045	0.014		ND	Tested	Pyridaben	0.090	0.027		ND	Tested
Dimethoate	0.090	0.027		ND	Tested	Spinetoram	0.090	0.027		ND	Tested
Ethoprophos	0.090	0.027		ND	Tested	Spinosad	0.092	0.027		ND	Tested
Etofenprox	0.090	0.027		ND	Tested	Spiromesifen	0.090	0.027		ND	Tested
Etoxazole	0.090	0.027		ND	Tested	Spirotetramat	0.090	0.027		ND	Tested
Fenhexamid	0.090	0.027		ND	Tested	Spiroxamine	0.090	0.027		ND	Tested
Fenoxycarb	0.090	0.027		ND	Tested	Tebuconazole	0.090	0.027		ND	Tested
Fenpyroximate	0.090	0.027		ND	Tested	Thiacloprid	0.090	0.027		ND	Tested
Fipronil	0.090	0.027		ND	Tested	Thiamethoxam	0.090	0.027		ND	Tested
Flonicamid	0.090	0.027		ND	Tested	Trifloxystrobin	0.090	0.027		ND	Tested
Fludioxonil	0.090	0.027		ND	Tested						

Date Tested: 01/10/2026  
Testing Method: LC/MS/MS CON-P-5000; GC/MS/MS CON-P-12000



*Ashley N Phillips*

Ashley Phillips  
Laboratory Director  
01/14/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





## StayCay Paloma

Sample ID: 2601NBL0030.0090  
Matrix: Ingestible  
Type: Beverage  
Sample Size:

Received: 01/07/2026  
Completed: 01/14/2026  
Expires: 01/14/2027  
External Lot ID: T-253  
Batch#: T-253

Client  
**Scofflaw Brewing Company**  
Lic. #  
1738 MacArthur Blvd NW Atlanta, GA 30318  
(843) 602-1641 jp@scofflawbeer.com

### Microbials

Complete

Analyte	LOD	Result	Status
	Cq	Cq	
Shiga Toxin-producing E. Coli	31.620	ND	Tested
Salmonella	31.730	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	29.780	ND	Tested

Method of Analysis: qPCR, CON-P-6000

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	ND	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	10	ND	Tested
E. Coli	10	ND	Tested

Method of Analysis: Petrifilm, CON-P-9000

Date Tested: 01/08/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

### Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1	5		ND	Tested
B2	1	5		ND	Tested
G1	1	5		ND	Tested
G2	1	5		ND	Tested
Total Aflatoxins	1	5		ND	Tested
Ochratoxin A	5	18		ND	Tested

Date Tested: 01/10/2026

Testing Method: LC/MS/MS, CON-P-5000

### Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.049	0.098		ND	Tested
Cadmium	0.049	0.098		ND	Tested
Lead	0.049	0.098		ND	Tested
Mercury	0.049	0.098		ND	Tested
Palladium	0.049	0.244		ND	Tested
Selenium	0.049	0.098		ND	Tested

Date Tested: 01/14/2026

Testing Method: ICP/MS, CON-P-7000



*Ashley Phillips*

Ashley Phillips  
Laboratory Director  
01/14/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





New Bloom Labs  
6121 Heritage Park Dr.  
Chattanooga, TN 37416

(844) 837-8223  
http://newbloombmlabs.com  
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

# StayCay Paloma

Sample ID: 2601NBL0030.0090  
Matrix: Ingestible  
Type: Beverage  
Sample Size:

Received: 01/07/2026  
Completed: 01/14/2026  
Expires: 01/14/2027  
External Lot ID: T-253  
Batch#: T-253

Client  
**Scofflaw Brewing Company**  
Lic. #  
1738 MacArthur Blvd NW Atlanta, GA 30318  
(843) 602-1641 jp@scofflawbeer.com

## Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	64.655	215.517		ND	Tested
Benzene	0.259	0.862		ND	Tested
n-Butane	59.483	198.276		ND	Tested
Isobutane	59.483	198.276		ND	Tested
Ethanol	64.655	215.517		385.525	Tested
Ethyl Acetate	64.655	215.517		ND	Tested
Heptane	64.655	215.517		ND	Tested
n-Hexane	1.293	4.310		ND	Tested
2,2-Dimethylbutane	1.293	4.310		ND	Tested
3-Methylpentane	1.293	4.310		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.586	8.621		ND	Tested
Methanol	25.862	86.207		ND	Tested
Isopentane	59.483	198.276		ND	Tested
n-Pentane	25.862	86.207		ND	Tested
Neopentane	59.483	198.276		ND	Tested
2-Propanol	64.655	215.517		ND	Tested
Propane	258.621	862.069		ND	Tested
Toluene	0.129	0.431		ND	Tested
Ethylbenzene	0.129	0.431		ND	Tested
m/p-Xylene	0.129	0.431		ND	Tested
o-Xylene	0.129	0.431		ND	Tested

Date Tested: 01/14/2026  
Testing Method: HS-GC/MS, CON-P-8000



*Ashley Phillips*

Ashley Phillips  
Laboratory Director  
01/14/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com

