

# StayCay Transfusion

Sample ID: 2601NBL0055.0182

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 01/13/2026

Completed: 01/21/2026

Expires: 01/21/2027

External Lot ID: T-252

Batch#: T-252

Client

Scofflaw Brewing Company

Lic. #

1738 MacArthur Blvd NW Atlanta, GA 30318

(843) 602-1641 jp@scofflawbeer.com



## Summary

Test	Date Tested	Result
Cannabinoids	01/14/2026	Complete
Residual Solvents	01/20/2026	Complete
Microbials	01/15/2026	Complete
Mycotoxins	01/20/2026	Complete
Pesticides	01/20/2026	Complete
Heavy Metals	01/21/2026	Complete
Foreign Matter	01/13/2026	Not Detected

## Cannabinoids

Complete

<b>9.216 mg/unit</b> Total THC	<b>0.0025%</b> Δ9-THC	<b>ND</b> Total CBD	<b>9.216 mg/unit</b> Total Cannabinoids
-----------------------------------	--------------------------	------------------------	--

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9169	1.375	ND	ND	ND
9R-HHC	0.9169	1.375	ND	ND	ND
(6aR,9S)-d10-THC	0.9169	1.375	ND	ND	ND
9S-HHC	0.9169	1.375	ND	ND	ND
CBC	0.9169	1.375	ND	ND	ND
CBCa	0.9169	1.375	ND	ND	ND
CBD	0.9169	1.375	ND	ND	ND
CBDa	0.9169	1.375	ND	ND	ND
CBDV	0.9169	1.375	ND	ND	ND
CBDVa	0.9169	1.375	ND	ND	ND
CBG	0.9169	1.375	ND	ND	ND
CBGa	0.9169	1.375	ND	ND	ND
CBN	0.9169	1.375	ND	ND	ND
CBNa	0.9169	1.375	ND	ND	ND
Δ8-THC	0.9169	1.375	ND	ND	ND
Δ9-THC	0.9169	1.375	9.216	0.02603	0.003
THCa	0.9169	1.375	ND	ND	ND
THCp	0.9169	1.375	ND	ND	ND
THCV	0.9169	1.375	ND	ND	ND
THCVa	0.9169	1.375	ND	ND	ND
<b>Total THC</b>			<b>9.216</b>	<b>0.02603</b>	<b>0.003</b>
<b>Total CBD</b>			<b>ND</b>	<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>9.216</b>	<b>0.02603</b>	<b>0.003</b>

Date Tested: 01/14/2026

Density: 1 mL = 1.036 g, Unit Mass: 366.744 g, 1 Unit = 12 fl oz

Testing Method: HPLC, CON-P-3000

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection, ND = Not Detected

Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%



*Ashley N Phillips*

Ashley Phillips  
Laboratory Director  
01/21/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





# StayCay Transfusion

Sample ID: 2601NBL0055.0182

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 01/13/2026

Completed: 01/21/2026

Expires: 01/21/2027

External Lot ID: T-252

Batch#: T-252

Client

**Scofflaw Brewing Company**

Lic. #

1738 MacArthur Blvd NW Atlanta, GA 30318

(843) 602-1641 jp@scofflawbeer.com

## Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.093	0.027		ND	Tested	Hexythiazox	0.089	0.027		ND	Tested
Acephate	0.089	0.027		ND	Tested	Imazalil	0.089	0.027		ND	Tested
Acequinocyl	0.089	0.027		ND	Tested	Imidacloprid	0.089	0.027		ND	Tested
Acetamiprid	0.089	0.027		ND	Tested	Kresoxim Methyl	0.089	0.027		ND	Tested
Aldicarb	0.089	0.027		ND	Tested	Malathion	0.089	0.027		ND	Tested
Azoxystrobin	0.089	0.027		ND	Tested	Metalaxyl	0.089	0.027		ND	Tested
Bifenazate	0.089	0.027		ND	Tested	Methiocarb	0.089	0.027		ND	Tested
Bifenthrin	0.089	0.027		ND	Tested	Methomyl	0.089	0.027		ND	Tested
Boscalid	0.089	0.027		ND	Tested	Mevinphos	0.089	0.027		ND	Tested
Captan	0.624	0.187		ND	Tested	Myclobutanil	0.089	0.027		ND	Tested
Carbaryl	0.089	0.027		ND	Tested	Naled	0.223	0.068		ND	Tested
Carbofuran	0.089	0.027		ND	Tested	Oxamyl	0.089	0.027		ND	Tested
Chlorantraniliprole	0.089	0.027		ND	Tested	Paclbutrazol	0.089	0.027		ND	Tested
Chlorfenapyr	0.071	0.027		ND	Tested	Methyl Parathion	0.071	0.027		ND	Tested
Chlormequat	0.089	0.027		ND	Tested	Pentachloronitrobenzene	0.071	0.027		ND	Tested
Chlorpyrifos	0.089	0.027		ND	Tested	Permethrins	0.089	0.027		ND	Tested
Clofentezine	0.089	0.027		ND	Tested	Phosmet	0.089	0.027		ND	Tested
Coumaphos	0.089	0.027		ND	Tested	Piperonyl Butoxide	0.089	0.027		ND	Tested
Cyfluthrin	0.446	0.134		ND	Tested	Prallethrin	0.089	0.027		ND	Tested
Cypermethrin	0.446	0.134		ND	Tested	Propiconazole	0.089	0.027		ND	Tested
Daminozide	0.891	0.267		ND	Tested	Propoxur	0.089	0.027		ND	Tested
Diazinon	0.089	0.027		ND	Tested	Pyrethrins	0.446	0.134		ND	Tested
Dichlorvos	0.045	0.014		ND	Tested	Pyridaben	0.089	0.027		ND	Tested
Dimethoate	0.089	0.027		ND	Tested	Spinetoram	0.089	0.027		ND	Tested
Ethoprophos	0.089	0.027		ND	Tested	Spinosad	0.091	0.027		ND	Tested
Etofenprox	0.089	0.027		ND	Tested	Spiromesifen	0.089	0.027		ND	Tested
Etoxazole	0.089	0.027		ND	Tested	Spirotetramat	0.089	0.027		ND	Tested
Fenhexamid	0.089	0.027		ND	Tested	Spiroxamine	0.089	0.027		ND	Tested
Fenoxycarb	0.089	0.027		ND	Tested	Tebuconazole	0.089	0.027		ND	Tested
Fenpyroximate	0.089	0.027		ND	Tested	Thiacloprid	0.089	0.027		ND	Tested
Fipronil	0.089	0.027		ND	Tested	Thiamethoxam	0.089	0.027		ND	Tested
Fonicamid	0.089	0.027		ND	Tested	Trifloxystrobin	0.089	0.027		ND	Tested
Fludioxonil	0.089	0.027		ND	Tested						

Date Tested: 01/20/2026  
Testing Method: LC/MS/MS CON-P-5000; GC/MS/MS CON-P-12000



*Ashley N Phillips*

Ashley Phillips  
Laboratory Director  
01/21/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





## StayCay Transfusion

Sample ID: 2601NBL0055.0182

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 01/13/2026

Completed: 01/21/2026

Expires: 01/21/2027

External Lot ID: T-252

Batch#: T-252

Client

**Scofflaw Brewing Company**

Lic. #

1738 MacArthur Blvd NW Atlanta, GA 30318

(843) 602-1641 jp@scofflawbeer.com

### Microbials

Complete

Analyte	LOD	Result	Status
	Cq	Cq	
Shiga Toxin-producing E. Coli	31.620	ND	Tested
Salmonella	31.730	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	29.780	ND	Tested

Method of Analysis: qPCR, CON-P-6000

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	ND	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	10	ND	Tested
E. Coli	10	ND	Tested

Method of Analysis: Petrifilm, CON-P-9000

Date Tested: 01/15/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

### Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1	4		ND	Tested
B2	1	4		ND	Tested
G1	1	4		ND	Tested
G2	1	4		ND	Tested
Total Aflatoxins	1	4		ND	Tested
Ochratoxin A	5	18		ND	Tested

Date Tested: 01/20/2026

Testing Method: LC/MS/MS, CON-P-5000

### Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.048	0.096		ND	Tested
Cadmium	0.048	0.096		ND	Tested
Lead	0.048	0.096		ND	Tested
Mercury	0.048	0.096		ND	Tested
Palladium	0.048	0.239		ND	Tested
Selenium	0.048	0.096		ND	Tested

Date Tested: 01/21/2026

Testing Method: ICP/MS, CON-P-7000



*Ashley N Phillips*

Ashley Phillips  
Laboratory Director  
01/21/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





## StayCay Transfusion

Sample ID: 2601NBL0055.0182

Matrix: Ingestible

Type: Beverage

Sample Size:

Received: 01/13/2026

Completed: 01/21/2026

Expires: 01/21/2027

External Lot ID: T-252

Batch#: T-252

Client

**Scofflaw Brewing Company**

Lic. #

1738 MacArthur Blvd NW Atlanta, GA 30318

(843) 602-1641 jp@scofflawbeer.com

### Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	78.125	260.417		ND	Tested
Benzene	0.313	1.042		ND	Tested
n-Butane	71.875	239.583		ND	Tested
Isobutane	71.875	239.583		ND	Tested
Ethanol	78.125	260.417		399.361	Tested
Ethyl Acetate	78.125	260.417		ND	Tested
Heptane	78.125	260.417		ND	Tested
n-Hexane	1.563	5.208		ND	Tested
2,2-Dimethylbutane	1.563	5.208		ND	Tested
3-Methylpentane	1.563	5.208		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	3.125	10.417		ND	Tested
Methanol	31.250	104.167		ND	Tested
Isopentane	71.875	239.583		ND	Tested
n-Pentane	31.250	104.167		ND	Tested
Neopentane	71.875	239.583		ND	Tested
2-Propanol	78.125	260.417		ND	Tested
Propane	312.500	1041.667		ND	Tested
Toluene	0.156	0.521		ND	Tested
Ethylbenzene	0.156	0.521		ND	Tested
m/p-Xylene	0.156	0.521		ND	Tested
o-Xylene	0.156	0.521		ND	Tested

Date Tested: 01/20/2026  
Testing Method: HS-GC/MS, CON-P-8000



*Ashley N Phillips*

Ashley Phillips  
Laboratory Director  
01/21/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com

